Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently amended) A balloon dilation for a balloon dilatation catheter, comprising: an elongate shaft having a proximal end and a distal end; and

a balloon <u>body</u> connected to the distal end of the shaft, the balloon having an expandable region and a balloon waist, the balloon waist including a plurality of voids ;

wherein the plurality of voids are shaped and placed such that prior to thermal reformation that cause the balloon waist will [[to]] have a reduced profile subsequent to thermal reformation.

- 2. (Currently amended) A balloon <u>for a balloon</u> dilatation catheter as in claim 1, wherein the balloon waist has a material volume per unit length, and wherein the plurality of voids reduce the material volume per unit length.
- 3. (Currently amended) A balloon <u>for a balloon</u> dilatation catheter as in claim 2, wherein the material volume per unit length decreases <u>in the distal direction</u> to cause the balloon waist to taper.
- 4. (Currently amended) A balloon <u>for a balloon</u> dilatation catheter as in claim 1, wherein the size, number and position of the plurality of voids are selected to cause the <u>unit length to decrease in a distal direction</u> balloon waist to taper.
- 5. (Currently amended) A balloon for a balloon dilatation catheter as in claim 1, wherein a proximal balloon waist and a distal balloon waist include a plurality of voids, wherein the plurality of voids are shaped and configured such that the balloon waists will have a reduced profile subsequent to thermal reformation prior to thermal processing that cause the balloon waists to have a reduced profile subsequent to thermal processing.

6. (Cancelled)

- 7. (Withdrawn) A balloon dilatation catheter as in claim 1, wherein the plurality of voids are wedge shaped.
- 8. (Currently amended) A balloon <u>for a balloon</u> dilatation catheter as in claim 1, wherein the plurality of voids are circular.
- 9. (Withdrawn) A balloon dilatation catheter as in claim 1, wherein the plurality of voids are rectangular.
- 10. (Withdrawn) A balloon dilatation catheter as in claim 1, wherein the plurality of voids are diamond shaped.
 - 11. (Currently amended) A balloon dilatation for a balloon dilatation catheter, comprising: an elongate shaft having a proximal and a distal end; and
- a molded balloon attached to the distal end of the shaft, the balloon being molded to have an expandable region, [[and]] a balloon waist and a length extending from a proximal end of the balloon waist to a distal end of the balloon waist, the balloon waist having a material volume per unit length, wherein [[the]] material is removed from the balloon waist to achieve the material volume per unit length wolume per unit length after attachment to the distal end of the elongate shaft is less than the material volume per unit length immediately after molding of the balloon.
- 12. (Currently amended) A balloon dilation for a balloon dilatation catheter as in claim 11, wherein the material volume per unit length decreases from the proximal end to the distal end to cause the balloon waist to taper.

Appl. No. 10/032,962

and

Amdt. dated August 10, 2004

Reply to Office Action of May 28, 2004

13. (Currently amended) A balloon dilation for a balloon dilatation catheter as in claim 11, wherein the material volume per unit length is controlled by the formation of a plurality of voids in the balloon waist.

14. (Currently amended) A balloon dilation for a balloon dilatation catheter as in claim 13, wherein the size, number and position of the plurality of voids are selected to cause the material volume per unit length balloon waist to taper.

15. (Withdrawn) A balloon dilatation catheter as in claim 13, wherein the plurality of voids are wedge shaped.

16. (Currently amended) A balloon dilation for a balloon dilatation catheter as in claim 13, wherein the plurality of voids are circular.

17. (Withdrawn) A balloon dilatation catheter as in claim 13, wherein the plurality of voids are rectangular.

18. (Withdrawn) A balloon dilatation catheter as in claim 13, wherein the plurality of voids are diamond shaped.

19. (Original) A method of manufacturing a balloon catheter comprising the steps of: providing a catheter shaft having a proximal end and a distal end; providing an expandable balloon having a waist and an expandable portion; forming a plurality of voids in the balloon waist;

thermally reforming the waist to close the voids and to reduce the profile of the waist;

attaching the waist to the distal end of the catheter shaft.

20. (Original) A method of manufacturing a balloon catheter as in claim 19, wherein the step of attaching the waist comprises a thermal bonding process.

Appl. No. 10/032,962 Amdt. dated August 10, 2004 Reply to Office Action of May 28, 2004

- 21. (Original) A method of manufacturing a balloon catheter as in claim 20, wherein the steps of thermally reforming the waist and attaching the waist are performed simultaneously.
- 22. (Original) A method of manufacturing a balloon catheter as in claim 19, wherein the balloon waist comprises a polymer which melts and flows into the plurality of voids during the step of thermal reforming.